



Skolan Safe®

Soundproof pipe system

Delivery range · February 2019



Skolan
safe®

www.skolan-safe.de

Gebr. Ostendorf Kunststoffe GmbH

Rudolf-Diesel-Straße 6–8 · 49377 Vechta · Germany

Phone +49 (0) 4441 874-10 · Fax +49 (0) 4441 874-15

verkauf@ostendorf-kunststoffe.com

www.ostendorf-kunststoffe.com

WHAT YOU CAN COUNT ON:

Service through and through...

CONTACT PERSONS

Please visit our website: www.ostendorf-kunststoffe.com

QUALITY PRODUCTS MADE IN GERMANY



Factory in Vechta



Factory in Emstek



Factory in Rain am Lech

RELIABLE ORDER PROCESSING



EDI
Reception of orders



Binding
delivery dates



Order picking



Transport of goods



ALSO OFFERED BY OSTENDORF



Premium quality
for a top price!



Custom solutions
according to client
requirements



DIGITIZATION

OXOMI  OXOMI®

Open Datacheck  ITEK

Ausschreiben.de AUSSCHREIBEN.DE

BIM-Revit-Data mepcontent.com

Material properties Skolan Safe® Soundproof pipe system

Commerical Name

Ostendorf Skolan Safe®

Material

mineral-reinforced polypropylene (PP)

- normal inflammability as per DIN 4102 B2

DIBt-approval Z-42.1-217

Application

Soundproof pipe system
Drainage within the building structure
until the transfer chamber as

- waste water pipe
 - rain water pipe
 - ventilation pipe
- (see also areas of application DIN 1986-4)

Nominal diameters (DN/OD)

58 / 78 / 90 / 110 / 135 / 160 / 200

Installation

DIN EN 12056, DIN 1986-100, DIN 4109, VDI 4100

Colour

Light grey RAL 7035

Seal

Patented 3 lip seal, factory inlaid SBR lip seal acc. to DIN 681

Chemical Resistance

Discharge of aggressive media in the range pH2-pH12
(see also www.ostendorf-kunststoffe.com)

Marking Pipes and Fittings

Permanent marking with manufacturer label, Skolan Safe, nominal diameter, approval No. Z-42.1-217, date of manufacture, material, building material class (fire behaviour)

- Fittings additionally bear information about the nominal angle

Sound insulation


Measured value 17 dB (A)

Sound insulation test according to DIN EN 14366 (Fraunhofer Institute)

Noise emission at 4 litres volume flow to measurement with Bismat 1000 (P-BA 221/2016)

Central vacuum cleaning system

Test certificate of the State Material Testing Institute Darmstadt



DN/OD	s (mm)	D (mm)	t (mm)
58	4,0	76	60
78	4,5	97	61
90	4,5	110	64
110	5,3	136	84
135	5,3	160	80
160	5,3	191	102
200	6,2	237	123

You may find the technical data sheets
regarding our products on our website:
www.ostendorf-kunststoffe.com



SKOLANsafeEM – Single socket pipe

No.	Description	EAN	Minimum purchase quantity*	Unit/crt	Unit/pallet
332000	SKOLANsafeEM Single socket pipe DN/OD 58 x 150 mm	4052836320001	18	18	432
332010	SKOLANsafeEM Single socket pipe DN/OD 58 x 250 mm	4052836320100	20	20	320
332020	SKOLANsafeEM Single socket pipe DN/OD 58 x 500 mm	4052836320209	12	12	192
332040	SKOLANsafeEM Single socket pipe DN/OD 58 x 1000 mm	4052836320407	1		114
332060	SKOLANsafeEM Single socket pipe DN/OD 58 x 2000 mm	4052836320605	1		114
332070	SKOLANsafeEM Single socket pipe DN/OD 58 x 3000 mm	4052836320704	1		114
333000	SKOLANsafeEM Single socket pipe DN/OD 78 x 150 mm	4052836330000	10	10	240
333010	SKOLANsafeEM Single socket pipe DN/OD 78 x 250 mm	4052836330109	14	14	224
333020	SKOLANsafeEM Single socket pipe DN/OD 78 x 500 mm	4052836330208	16	16	128
333040	SKOLANsafeEM Single socket pipe DN/OD 78 x 1000 mm	4052836330406	1		70
333060	SKOLANsafeEM Single socket pipe DN/OD 78 x 2000 mm	4052836330604	1		70
333070	SKOLANsafeEM Single socket pipe DN/OD 78 x 3000 mm	4052836330703	1		70
334000	SKOLANsafeEM Single socket pipe DN/OD 90 x 150 mm	4052836340009	8	8	192
334010	SKOLANsafeEM Single socket pipe DN/OD 90 x 250 mm	4052836340108	8	8	128
334020	SKOLANsafeEM Single socket pipe DN/OD 90 x 500 mm	4052836340207	12	12	96
334040	SKOLANsafeEM Single socket pipe DN/OD 90 x 1000 mm	4052836340405	1		60
334060	SKOLANsafeEM Single socket pipe DN/OD 90 x 2000 mm	4052836340603	1		60
334070	SKOLANsafeEM Single socket pipe DN/OD 90 x 3000 mm	4052836340702	1		60
335000	SKOLANsafeEM Single socket pipe DN/OD 110 x 150 mm	4052836350008	20	20	160
335010	SKOLANsafeEM Single socket pipe DN/OD 110 x 250 mm	4052836350107	12	12	96
335020	SKOLANsafeEM Single socket pipe DN/OD 110 x 500 mm	4052836350206	8	8	64
335040	SKOLANsafeEM Single socket pipe DN/OD 110 x 1000 mm	4052836350404	1		40
335060	SKOLANsafeEM Single socket pipe DN/OD 110 x 2000 mm	4052836350602	1		40
335070	SKOLANsafeEM Single socket pipe DN/OD 110 x 3000 mm	4052836350701	1		40
336000	SKOLANsafeEM Single socket pipe DN/OD 135 x 150 mm	4052836360007	1		120
336010	SKOLANsafeEM Single socket pipe DN/OD 135 x 250 mm	4052836360106	1		96
336020	SKOLANsafeEM Single socket pipe DN/OD 135 x 500 mm	4052836360205	1		48
336040	SKOLANsafeEM Single socket pipe DN/OD 135 x 1000 mm	4052836360403	1		24
336060	SKOLANsafeEM Single socket pipe DN/OD 135 x 2000 mm	4052836360601	1		24
336070	SKOLANsafeEM Single socket pipe DN/OD 135 x 3000 mm	4052836360700	1		24
337000	SKOLANsafeEM Single socket pipe DN/OD 160 x 150 mm	4052836370006	1		84
337010	SKOLANsafeEM Single socket pipe DN/OD 160 x 250 mm	4052836370105	1		48
337020	SKOLANsafeEM Single socket pipe DN/OD 160 x 500 mm	4052836370204	1		35
337040	SKOLANsafeEM Single socket pipe DN/OD 160 x 1000 mm	4052836370402	1		21
337060	SKOLANsafeEM Single socket pipe DN/OD 160 x 2000 mm	4052836370600	1		21
337070	SKOLANsafeEM Single socket pipe DN/OD 160 x 3000 mm	4052836370709	1		21
338000	SKOLANsafeEM Single socket pipe DN/OD 200 x 150 mm	4052836380005	1		45
338010	SKOLANsafeEM Single socket pipe DN/OD 200 x 250 mm	4052836380104	1		30
338020	SKOLANsafeEM Single socket pipe DN/OD 200 x 500 mm	4052836380203	1		20
338040	SKOLANsafeEM Single socket pipe DN/OD 200 x 1000 mm	4052836380401	1		15
338060	SKOLANsafeEM Single socket pipe DN/OD 200 x 2000 mm	4052836380609	1		15
338070	SKOLANsafeEM Single socket pipe DN/OD 200 x 3000 mm	4052836380708	1		15

* Quantities may have been modified



SKOLANSafeGL – Plain end pipe

No.	Description	EAN	Minimum purchase quantity*	Unit/ crt	Unit/ pallet
332080	SKOLANSafeGL Plain end pipe DN/OD 58 x 3000 mm without socket	4052836320803	1		114
333080	SKOLANSafeGL Plain end pipe DN/OD 78 x 3000 mm without socket	4052836330802	1		70
334065	SKOLANSafeGL Plain end pipe DN/OD 90 x 2000 mm without socket	4052836340658	1		60
334080	SKOLANSafeGL Plain end pipe DN/OD 90 x 3000 mm without socket	4052836340801	1		60
335080	SKOLANSafeGL Plain end pipe DN/OD 110 x 3000 mm without socket	4052836350800	1		40
336080	SKOLANSafeGL Plain end pipe DN/OD 135 x 3000 mm without socket	4052836360809	1		24
337080	SKOLANSafeGL Plain end pipe DN/OD 160 x 3000 mm without socket	4052836370808	1		21
338080	SKOLANSafeGL Plain end pipe DN/OD 200 x 3000 mm without socket	4052836380807	1		15



15°



30°



45°



67°



87°

SKOLANSafeB – Bend

No.	Description	EAN	Minimum purchase quantity*	Unit/ crt	Unit/ pallet
332100	SKOLANSafeB Bend DN/OD 58 15 Degrees	4052836321008	4	24	576
332110	SKOLANSafeB Bend DN/OD 58 30 Degrees	4052836321107	4	24	576
332120	SKOLANSafeB Bend DN/OD 58 45 Degrees	4052836321206	4	24	576
332130	SKOLANSafeB Bend DN/OD 58 67 Degrees	4052836321305	4	20	480
332140	SKOLANSafeB Bend DN/OD 58 87 Degrees	4052836321404	4	20	480
333100	SKOLANSafeB Bend DN/OD 78 15 Degrees	4052836331007	4	16	384
333110	SKOLANSafeB Bend DN/OD 78 30 Degrees	4052836331106	4	16	384
333120	SKOLANSafeB Bend DN/OD 78 45 Degrees	4052836331205	4	20	320
333130	SKOLANSafeB Bend DN/OD 78 67 Degrees	4052836331304	4		500
333140	SKOLANSafeB Bend DN/OD 78 87 Degrees	4052836331403	2	20	320
334100	SKOLANSafeB Bend DN/OD 90 15 Degrees	4052836341006	2	20	320
334110	SKOLANSafeB Bend DN/OD 90 30 Degrees	4052836341105	2	20	320
334120	SKOLANSafeB Bend DN/OD 90 45 Degrees	4052836341204	4	32	256
334140	SKOLANSafeB Bend DN/OD 90 87 Degrees	4052836341402	2	16	256
335100	SKOLANSafeB Bend DN/OD 110 15 Degrees	4052836351005	4	24	192
335110	SKOLANSafeB Bend DN/OD 110 30 Degrees	4052836351104	4	24	192
335120	SKOLANSafeB Bend DN/OD 110 45 Degrees	4052836351203	4	24	192
335130	SKOLANSafeB Bend DN/OD 110 67 Degrees	4052836351302	4	20	160
335140	SKOLANSafeB Bend DN/OD 110 87 Degrees	4052836351401	2	18	144
336100	SKOLANSafeB Bend DN/OD 135 15 Degrees	4052836361004	1		180
336110	SKOLANSafeB Bend DN/OD 135 30 Degrees	4052836361103	1		160
336120	SKOLANSafeB Bend DN/OD 135 45 Degrees	4052836361202	1		140
336140	SKOLANSafeB Bend DN/OD 135 87 Degrees	4052836361400	1		96
337100	SKOLANSafeB Bend DN/OD 160 15 Degrees	4052836371003	1		84
337110	SKOLANSafeB Bend DN/OD 160 30 Degrees	4052836371102	1		84
337120	SKOLANSafeB Bend DN/OD 160 45 Degrees	4052836371201	1		60
337140	SKOLANSafeB Bend DN/OD 160 87 Degrees	4052836371409	1		60
338100	SKOLANSafeB Bend DN/OD 200 15 Degrees	4052836381002	1		40
338110	SKOLANSafeB Bend DN/OD 200 30 Degrees	4052836381101	1		38
338120	SKOLANSafeB Bend DN/OD 200 45 Degrees	4052836381200	1		38

*Quantities may have been modified



87°



67°



45°

SKOLANsafeEA – Branch

No.	Description	EAN	Minimum purchase quantity*	Unit/ crt	Unit/ pallet
332200	SKOLANsafeEA Branch DN/OD 58/58 45 Degrees	4052836322005	2	40	320
332300	SKOLANsafeEA Branch DN/OD 58/58 67 Degrees	4052836323002	2		500
332400	SKOLANsafeEA Branch DN/OD 58/58 87 Degrees	4052836324009	4		500
333210	SKOLANsafeEA Branch DN/OD 78/58 45 Degrees	4052836332103	2	12	192
333310	SKOLANsafeEA Branch DN/OD 78/58 67 Degrees	4052836333100	2		340
333410	SKOLANsafeEA Branch DN/OD 78/58 87 Degrees	4052836334107	2	16	256
333200	SKOLANsafeEA Branch DN/OD 78/78 45 Degrees	4052836332004	4	20	160
333300	SKOLANsafeEA Branch DN/OD 78/78 67 Degrees	4052836333001	2		280
333400	SKOLANsafeEA Branch DN/OD 78/78 87 Degrees	4052836334008	4		288
334220	SKOLANsafeEA Branch DN/OD 90/58 45 Degrees	4052836342201	2	10	160
334420	SKOLANsafeEA Branch DN/OD 90/58 87 Degrees	4052836344205	2	12	192
334210	SKOLANsafeEA Branch DN/OD 90/78 45 Degrees	4052836342102	2		216
334410	SKOLANsafeEA Branch DN/OD 90/78 87 Degrees	4052836344106	2		240
334200	SKOLANsafeEA Branch DN/OD 90/90 45 Degrees	4052836342003	2	18	144
334400	SKOLANsafeEA Branch DN/OD 90/90 87 Degrees	4052836344007	2	14	112
335220	SKOLANsafeEA Branch DN/OD 110/58 45 Degrees	4052836352200	4	16	128
335320	SKOLANsafeEA Branch DN/OD 110/58 67 Degrees	4052836353207	4		180
335420	SKOLANsafeEA Branch DN/OD 110/58 87 Degrees	4052836354204	4	20	160
335210	SKOLANsafeEA Branch DN/OD 110/78 45 Degrees	4052836352101	4	12	96
335310	SKOLANsafeEA Branch DN/OD 110/78 67 Degrees	4052836353108	2		140
335410	SKOLANsafeEA Branch DN/OD 110/78 87 Degrees	4052836354105	2	14	112
335200	SKOLANsafeEA Branch DN/OD 110/110 45 Degrees	4052836352002	4	12	96
335300	SKOLANsafeEA Branch DN/OD 110/110 67 Degrees	4052836353009	2		120
335400	SKOLANsafeEA Branch DN/OD 110/110 87 Degrees	4052836354006	4	12	96
336210	SKOLANsafeEA Branch DN/OD 135/110 45 Degrees	4052836362100	1		70
336410	SKOLANsafeEA Branch DN/OD 135/110 87 Degrees	4052836364104	1		80
336200	SKOLANsafeEA Branch DN/OD 135/135 45 Degrees	4052836362001	1		56
336400	SKOLANsafeEA Branch DN/OD 135/135 87 Degrees	4052836364005	1		80
337210	SKOLANsafeEA Branch DN/OD 160/110 45 Degrees	4052836372109	1		46
337410	SKOLANsafeEA Branch DN/OD 160/110 87 Degrees	4052836374103	1		46
337200	SKOLANsafeEA Branch DN/OD 160/160 45 Degrees	4052836372000	1		28
337400	SKOLANsafeEA Branch DN/OD 160/160 87 Degrees	4052836374004	1		32
338210	SKOLANsafeEA Branch DN/OD 200/160 45 Degrees	4052836382108	1		20
338200	SKOLANsafeEA Branch DN/OD 200/200 45 Degrees	4052836382009	1		14

* Quantities may have been modified



SKOLANsafeAM – Single socket

No.	Description	EAN	Minimum purchase quantity*	Unit/ crt	Unit/ pallet
332810	SKOLANsafeAM Single socket DN/OD 58	4052836328106	4	24	576
333810	SKOLANsafeAM Single socket DN/OD 78	4052836338105	4	20	480
334810	SKOLANsafeAM Single socket DN/OD 90	4052836348104	2	14	224
335810	SKOLANsafeAM Single socket DN/OD 110	4052836358103	4	36	288
336810	SKOLANsafeAM Single socket DN/OD 135	4052836368102	1		160
337810	SKOLANsafeAM Single socket DN/OD 160	4052836378101	1		120
338810	SKOLANsafeAM Single socket DN/OD 200	4052836388100	1		45



SKOLANsafeMM – Double socket

No.	Description	EAN	Minimum purchase quantity*	Unit/ crt	Unit/ pallet
332510	SKOLANsafeMM Double socket DN/OD 58	4052836081551	4		1100
333510	SKOLANsafeMM Double socket DN/OD 78	4052836081582	4	20	480
334510	SKOLANsafeMM Double socket DN/OD 90	4052836081612	1	27	648
335510	SKOLANsafeMM Double socket DN/OD 110	4052836081636	1	28	224
336510	SKOLANsafeMM Double socket DN/OD 135	4052836081667	1		180
337510	SKOLANsafeMM Double socket DN/OD 160	4052836081698	1		96
338510	SKOLANsafeMM Double socket DN/OD 200	4052836081728	1		50



SKOLANsafeL – Long socket

No.	Description	EAN	Minimum purchase quantity*	Unit/ crt	Unit/ pallet
335930	SKOLANsafeL Long socket DN/OD 110	4052836359308	2		190



SKOLANsafeM – Plug

No.	Description	EAN	Minimum purchase quantity*	Unit/ crt	Unit/ pallet
332620	SKOLANsafeM Plug DN/OD 58	4052836326201	4		1700
333620	SKOLANsafeM Plug DN/OD 78	4052836336200	4		1100
334620	SKOLANsafeM Plug DN/OD 90	4052836346209	1	76	1216
335620	SKOLANsafeM Plug DN/OD 110	4052836356208	4		448
336620	SKOLANsafeM Plug DN/OD 135	4052836366207	1		400
337620	SKOLANsafeM Plug DN/OD 160	4052836376206	1		256
338620	SKOLANsafeM Plug DN/OD 200	4052836386205	1		160



SKOLANsafeU – Coupler

No.	Description	EAN	Minimum purchase quantity*	Unit/ crt	Unit/ pallet
332500	SKOLANsafeU Coupler DN/OD 58	4052836325006	4		1100
333500	SKOLANsafeU Coupler DN/OD 78	4052836335005	4	20	480
334500	SKOLANsafeU Coupler DN/OD 90	4052836345004	1	27	648
335500	SKOLANsafeU Coupler DN/OD 110	4052836355003	4	28	224
336500	SKOLANsafeU Coupler DN/OD 135	4052836365002	1		180
337500	SKOLANsafeU Coupler DN/OD 160	4052836375001	1		96
338500	SKOLANsafeU Coupler DN/OD 200	4052836385000	1		50

* Quantities may have been modified



SKOLANSafe – Connection to HT Safe

No.	Description	EAN	Minimum purchase quantity*	Unit/crt	Unit/pallet
333830	SKOLANSafe Connection to HT Safe DN/OD 75	4052836338303	20	20	480
336820	SKOLANSafe Connection to HT Safe/KG DN/OD 125	4052836368201	1		160



Skolan Safe – Transition sleeve

No.	Description	EAN	Minimum purchase quantity*	Unit/crt	Unit/pallet
910833	SKOLANSafe transition sleeve Skolan Safe 58 / HT Safe 50 mm	4052836086754	20	20	2560



SKOLANSafeDA – Double branch

No.	Description	EAN	Minimum purchase quantity*	Unit/crt	Unit/pallet
334900	SKOLANSafeDA Double branch DN/OD 90/90/90 87 Degrees	4052836349002	1	5	120
335900	SKOLANSafeDA Double branch DN/OD 110/110/110 87 Degrees	4052836359001	2		80



SKOLANSafeED – Double corner branch

No.	Description	EAN	Minimum purchase quantity*	Unit/crt	Unit/pallet
334910	SKOLANSafeED Double corner branch DN/OD 90/90/90 87 Degrees	4052836349101	1		108
335910	SKOLANSafeED Double corner branch DN/OD 110/110/110 87 Degrees	4052836359100	1		72



SKOLANSafeEP – Corner branch

No.	Description	EAN	Minimum purchase quantity*	Unit/crt	Unit/pallet
335975	SKOLANSafeEP Corner branch DN/OD 110/110/78/87 Degrees left	4025075373756	1		60
335985	SKOLANSafeEP Corner branch DN/OD 110/110/78/87 Degrees right	4025075373855	1		60



SKOLANSafePA – Parallel branch

No.	Description	EAN	Minimum purchase quantity*	Unit/crt	Unit/pallet
335920	SKOLANSafePA Parallel branch DN/OD 110/110 87 Degrees	4052836359209	1		80

* Quantities may have been modified



SKOLANSafeDDA – Double branch for showers

No.	Description	EAN	Minimum purchase quantity*	Unit/ crt	Unit/ pallet
334670	Skolan Safe-DDA Double branch for showers 90° DN/OD 90/90/58	4052836103123	1		25 NEW!
334680	Skolan Safe-DDA Double branch for showers 90° left DN/OD 90/90/58	4052836103161	1		25 NEW!
334690	Skolan Safe-DDA Double branch for showers 90° right DN/OD 90/90/58	4052836103208	1		25 NEW!
335670	Skolan Safe-DDA Double branch for showers 90° DN/OD 110/110/58	4052836103246	1		25 NEW!
335680	Skolan Safe-DDA Double branch for showers 90° left DN/OD 110/110/58	4052836103284	1		25 NEW!
335690	Skolan Safe-DDA Double branch for showers 90° right DN/OD 110/110/58	4052836103321	1		25 NEW!



SKOLANSafeSW – Siphon bend

No.	Description	EAN	Minimum purchase quantity*	Unit/ crt	Unit/ pallet
335940	SKOLANSafeSW Siphon bend DN/OD 58/40	4052836359407	1	54	1296



SKOLANSafeR – Reducer

No.	Description	EAN	Minimum purchase quantity*	Unit/ crt	Unit/ pallet
333710	SKOLANSafeR Reducer DN/OD 78/58	4052836337108	4	20	480
334720	SKOLANSafeR Reducer DN/OD 90/58	4052836347206	4		800
334710	SKOLANSafeR Reducer DN/OD 90/78	4052836347107	4		640
335720	SKOLANSafeR Reducer DN/OD 110/58	4052836357205	4	20	480
335710	SKOLANSafeR Reducer DN/OD 110/78	4052836357106	2	20	480
335700	SKOLANSafeR Reducer DN/OD 110/90	4052836357007	2	16	256
336710	SKOLANSafeR Reducer DN/OD 135/110	4052836367105	1		240
337710	SKOLANSafeR Reducer DN/OD 160/110	4052836377104	1		212
337700	SKOLANSafeR Reducer DN/OD 160/135	4052836377005	1		120
338710	SKOLANSafeR Reducer DN/OD 200/160	4052836387103	1		60



SKOLANSafe – Reducer Skolan/HT

No.	Description	EAN	Minimum purchase quantity*	Unit/ crt	Unit/ pallet
332750	SKOLANSafe Reducer Skolan/HT DN/OD 58/40	4052836327505	4		1100
333750	SKOLANSafe Reducer Skolan/HT DN/OD 78/50	4052836337504	4		1100

* Quantities may have been modified



SKOLANSafeRE – Inspection pipe

No.	Description	EAN	Minimum purchase quantity*	Unit/ crt	Unit/ pallet
332600	SKOLANSafeRE Inspection pipe DN/OD 58	4052836326003	4		576
333600	SKOLANSafeRE Inspection pipe DN/OD 78	4052836336002	4		320
334600	SKOLANSafeRE Inspection pipe DN/OD 90	4052836346001	2	9	216
335600	SKOLANSafeRE Inspection pipe DN/OD 110	4052836356000	2		96
336600	SKOLANSafeRE Inspection pipe DN/OD 135	4052836366009	1		40
337600	SKOLANSafeRE Inspection pipe DN/OD 160	4052836376008	1		40
338600	SKOLANSafeRE Inspection pipe DN/OD 200	4052836386007	1		20



SKOLANSafeLB – Long bend

No.	Description	EAN	Minimum purchase quantity*	Unit/ crt	Unit/ pallet
335960	SKOLANSafeLB Long bend DN/OD 110 45 Degrees	4052836359605	2		112

Skolan Safe – Replacement lip seal SBR

No.	Description	EAN	Minimum purchase quantity*	Unit/ crt	Unit/ pallet
880605	Replacement lip seal SBR DN/OD 58 (Skolan Safe)	4052836806055	1		16512
880615	Replacement lip seal SBR DN/OD 78 (Skolan Safe)	4052836014054	1		10764
880047	Replacement lip seal SBR DN/OD 90 (HT Safe, Skolan Safe)	4052836003768	1		8736
880635	Replacement lip seal SBR DN/OD 110 (Skolan Safe fitting)	4052836014191	1		5220
880400	Replacement lip seal SBR DN/OD 110 (KG2000, Skolan Safe pipe)	4052836804006	1		3364
880645	Replacement lip seal SBR DN/OD 135 (Skolan Safe)	4052836014238	1		2772
880420	Replacement lip seal SBR DN/OD 160 (KG2000, Skolan Safe)	4052836804204	1		1092
880430	Replacement lip seal SBR DN/OD 200 (KG2000, Skolan Safe)	4052836804303	1		600



Skolan Safe – Replacement lip seal NBR

No.	Description	EAN	Minimum purchase quantity*	Unit/ crt	Unit/ pallet
880705	Replacement lip seal NBR – oil resistant – DN/OD 58 (Skolan Safe)	4052836014252	1		14112
880715	Replacement lip seal NBR – oil resistant – DN/OD 78 (Skolan Safe)	4052836014276	1		10764
880247	Replacement lip seal NBR – oil resistant – DN/OD 90 (HT Safe, Skolan Safe)	4052836004109	1		13000
880260	Replacement lip seal NBR – oil resistant – DN/OD 110 (KG PVC SN 4, Skolan Safe fitting, HT Safe)	4052836014290	1		5481
880500	Replacement lip seal NBR – oil resistant – DN/OD 110 (KG2000, Skolan Safe pipe)	4052836805003	1		3300
880745	Replacement lip seal NBR – oil resistant – DN/OD 135 (Skolan Safe)	4052836014313	1		2772
880520	Replacement lip seal NBR – oil resistant – DN/OD 160 (KG2000, Skolan Safe)	4052836805201	1		960
880530	Replacement lip seal NBR – oil resistant – DN/OD 200 (KG2000, Skolan Safe)	4052836805300	1		600

* Quantities may have been modified



Skolan Safe – Gasket for siphon bend

No.	Description	EAN	Minimum purchase quantity*	Unit/crt	Unit/pallet
881210	Gasket for siphon bend DN/OD 40/30 B	4052836812100	1	20	4800
881220	Gasket for siphon bend DN/OD 40/40 C	4052836812209	1	20	4800



Skolan Safe – Pullout-protection

No.	Description	EAN	Minimum purchase quantity*	Unit/crt	Unit/pallet
881505	Pullout-protection DN/OD 58	4052836815057	1	50	2400
881515	Pullout-protection DN/OD 78	4052836815156	1	30	1440
881520	Pullout-protection DN/OD 90	4052836815200	1	20	960
881535	Pullout-protection DN/OD 110	4052836815356	1	26	936
881545	Pullout-protection DN/OD 135	4052836815453	1	9	432
881580	Pullout-protection DN/OD 160	4052836815804	1	9	216
881585	Pullout-protection DN/OD 200	4052836815859	1	13	156



Skolan Safe – Safety clamps for plugs

No.	Description	EAN	Minimum purchase quantity*	Unit/crt	Unit/pallet
839010	Safety clamps for plugs DN/OD 58	4052836390103	1		2400
839020	Safety clamps for plugs DN/OD 78	4052836390202	1		1000
839030	Safety clamps for plugs DN/OD 90	4052836390301	1		88
839040	Safety clamps for plugs DN/OD 110	4052836390400	1		600
839050	Safety clamps for plugs DN/OD 135	4052836390509	1		840
839060	Safety clamps for plugs DN/OD 160	4052836390608	1		448
839070	Safety clamps for plugs DN/OD 200	4052836390707	1		40



Skolan Safe – Lubricant

No.	Description	EAN	Minimum purchase quantity*	Unit/crt	Unit/pallet
881800	Lubricant 150 ml	4052836818003	1	50	1750
881810	Lubricant 250 ml	4052836818102	1	50	1800
881820	Lubricant 500 ml	4052836818201	1	24	864
881830	Lubricant 1000 ml	4052836818300	1	12	432

* Quantities may have been modified

One thing is safe.



Gebr. Ostendorf Kunststoffe

www.skolan-safe.de

